

EXHIBIT 2

**RECEIVED
CENTRAL FAX CENTER**

FEB 16 2005

Best Available Copy

DECLARATION OF RONALD MARKS

I, Ronald Marks, being of legal age, hereby declare as follows:

1. I am a dermatologist. I received my medical degree from Guy's Hospital Medical School in 1958. Currently, I am an Emeritus Professor at the University of Wales College of Medicine, where I have been a member of the faculty since 1973; a Clinical Professor in the Department of Dermatology at the University of Miami School of Medicine; and Medical Director of Cutest Systems Ltd.
2. In addition, I am currently a reviewer for the *British Journal of Dermatology*, *Archives of Dermatology*, *Journal of the American Academy of Dermatology*, and on the editorial board of the *American Journal of Clinical Dermatology*.
3. In the past, I was appointed a specialist in Dermatology at the British Military Hospital, was appointed as Chair of Dermatology at the University of Wales College of Medicine, served as co-editor of the *Journal of Dermatological Treatment*, was an assistant editor for the *British Journal of Dermatology*, and was managing editor of the *Archives for Dermatological Research*.
4. I have published numerous articles and books on a variety of topics in the field of dermatology.
5. A copy of my *curriculum vitae* is attached to this Declaration.
6. As a clinical dermatologist, I am familiar with skin disorders and their treatments.
7. In preparation for this Declaration, I consulted medical literature and conducted data base searches. Further, this Declaration contains knowledge gained from my own clinical experience of dermatological treatments.

8. Sulphur is a "traditional" component of topical medications and has been used over many years for disorders such as acne, seborrheic dermatitis, rosacea, scabies, pediculosis and ringworm.
9. Although new drugs have superseded the use of sulphur in many instances, sulphur is still the preferred choice of some clinicians in some patients, particularly those with stubborn and recalcitrant disorders.
10. I have prescribed sulphur containing medications in recent months for patients with persistent seborrheic dermatitis of the scalp and recalcitrant comedonal acne.
11. I am presently aware of the published letter entitled "Sulphur Revisited" by Maibach, Surber and Orkin (J. Am. Acad. Derm. 1990 23:154-5) which refers to the early work of Basch (Arch Exp. Pathol. Pharmacol. 111:126-132) and Rasmussen (Year Book of Dermatology, Chicago 15-38) whose work suggested that fatal toxicity in children was purported to have occurred after use of sulphur containing topical preparations in the treatment of scabies. Maibach et al., however, state "[w]e and others have used precipitated sulphur (6%) in petrolatum for many years; patients have included infants, small children, pregnant and lactating women and persons with neurologic problems. We had never seen an example of systemic toxicity or fatality. . . .!"
12. The use of sulphur in topical preparations is recommended in all of the standard text books of dermatology which I consulted. In particular, the section on topical treatments in "Dermatology" (Braun-Falco, O., et al., p.1156 Springer-Verlag 1991) describes pastes and ointments containing 2, 10 and 20% sulphur, often combined with resorcinol (5%) for several purposes, including use as an antifungal agent.
13. The use of 10% sulphur in either pork fat or cold cream for the treatment of scabies is described by Avila-Romay et al., in a paper entitled "Therapeutic efficacy, secondary effects, and patient acceptability of 10% sulfur in either pork fat or cold cream for the treatment of

scabies," R. *Pediatr Dermatol* 1991; 8:64-6 cited in "Treatment of Skin Disease" (Mark G. Lebwohl, M.D., et al. eds., Mosby 2002).

14. According to the "Textbook of Dermatology" (R.H. Champion et al. eds., p.1461 Blackwell Science 6th ed.), "[s]ulfur has been used for centuries, and sulfur ointment is still employed by some dermatologists. Used excessively, or in high concentration, it may cause irritation, but 10% sulphur in yellow soft paraffin is, in general, safe and effective" for the treatment of scabies. In addition, "topical sulphur-containing preparations have also been shown to be effective in rosacea." *Id.* at 3533.
15. The use of sulphur for the treatment of scabies is described as "safe" and "effective" in "Fitzpatrick's Dermatology in General Medicine" (Irwin M. Freedberg, M.D., et al. eds., p. 2285 McGraw-Hill 6th ed.).
16. The use of sulphur is described in "Dermatopharmacology of Topical Preparations" (Gabard, et al. eds., Springer 2000). In particular, the authors state "[s]ulphur has been used in concentrations of up to 10% in the treatment of acne, rosacea, dandruff and seborrheic conditions. . . ."
17. The possibility of systemic toxicity from the use of topical sulphur is not mentioned in any of the texts that I consulted.
18. I have conducted four data base searches for the association of sulphur with systemic toxicity and found very little of relevance with regard to the systemic toxicity of sulphur. One paper entitled "Toxicity to beef cattle of sulfur in saline well water: a case study" (Beke, G.J. and Hironaka R., *Sci Total Environ* 1991 Jan. 101:281-90) described a disorder in young cows who ingested saline well water with an extremely high sulphur content. The condition resembled bovine polioencephalomalacia and occurred after 2 months of exposure to the well water. It should be noted that the cattle were exposed to the well water over an extended period of time and that the water was ingested by the cattle. Topical application of sulphur containing

products involves neither the ingestion of sulphur nor the extreme exposure discussed in the Beke article.


19. In another paper entitled, "Toxicology of sulfur in ruminants: review" (Kandylis, K., J Dairy Sci 1984 Oct. 67:2179-87), it was concluded that excessive quantities of dietary sulphur, above 0.3 to 0.4%, as sulfate or elemental sulphur may cause toxic effects and in extreme cases may be fatal when ingested. However, this paper does not teach or suggest that the topical use of sulphur is toxic.
20. A paper entitled "Potentially hazardous sulphur conditions on beef cattle ranches in the United States" (Gould, D.H., et al., J Am Vet Med Assoc 2002 Sept. 221:673-7) analyzed the sulfur content of water and forage samples on various cattle ranches in the United States. The total sulfur intake was estimated for pairs of forage and water samples. Again, this paper taught excessive sulphur intake resulting from the *ingestion* of sulphur by cattle. Topical application of a sulphur compound does not pose the same risks as does ingestion of a sulphur compound.
21. I can state that within my knowledge and experience, topical sulphur containing preparations are used for many different forms of skin complaint and are frequently used in concentrations of up to about 10%. In addition, the use of 3-10% sulphur in topical over the counter drugs has been approved by the Food and Drug Administration and is so listed in the Federal Register (a copy of which is attached hereto as Exhibit A). One of ordinary skill in the art would regard the Federal Register as a reliable and accurate source.
22. Neither I, nor to my knowledge my colleagues, have encountered systemic toxic side effects from the use of sulphur containing topical preparations.
23. The literature I have consulted endorses the use of sulphur as a safe and effective topical medication and records no adverse systemic effects from its use.
24. The only indications of sulphur toxicity I have encountered from searching the literature concerns the ingestion of excessive sulphur in food stuffs by cattle. One of ordinary skill in

the art would have no reason to believe that a 10% or less topical preparation of sulphur would cause systemic toxicity. Rather, one of ordinary skill in the art would have reason to believe that a 10% or less topical sulphur preparation is safe and effective in light of the fact that the use of 3-10% sulphur in topical over the counter drugs has been approved by the Food and Drug Administration.

25. I have read and am familiar with patent application numbers 10/022,482, 10/283,102, and 10/327,302.

26. In light of the literature, personal experience, and the Federal Register attachment, one of ordinary skill in the art, after having read the specifications of patent application numbers 10/022,482, 10/283,102, and 10/327,302, would know and understand that sulphur and sulphur derivatives can be and are used in the treatment of dermatological conditions up to about 10%.

I, Ronald Marks, declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that wilful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code.



Ronald Marks

Dated: 31st Jan. 2004

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.